

FLOUR ROLLER MILL

“Kharkovchanka - 2200plus”


MODEL NO.3545 9M

Technical characteristics

Productivity of grain	kg/h	2200
Finished product output	%, to	75
incl. high grade flour	to	60..63
1 grade flour		10..13
2 grade flour		2..5
Installed power	kW	217
Air consumption	m ³ /h	17800
Average water consumption	l/h	100
Attendants	men	4
Height	mm	8100
(length and width are on the planning)		
Weight, not more	ton	30



Planning



- | | | |
|---------------------------------------|---|--|
| 1. Receiving bunker | 9. Brushing machine | 14. Plansifter RPS10-17 |
| 2. Separator | 10. Aspiration unit of stone cleaner | 15. Double drum duster |
| 3. Stone cleaner | 11. Aspiration unit of grain cleaning section | 16. Bagger-weigher |
| 4. Paternoster | 12. Air cleaning unit | 17. Control console of grain preparation |
| 5. Блок триеров | 13. 4 roller machine "Khartronik-5" Ø250x1000 | 18. Control console of grounding equipment |
| 6. Abrasive grain cleaning machine | | |
| 7. Grain binning bunkers | | |
| 8. Additional grain moistening device | | |

The mill can be equipped with automatic system of technological process control (ASTPC)

Equipment placing on production spaces is fulfilled after agreement with the Customer



May 2003.